



Hosetract Industries, LTD  
 Phone: 260-489-8828  
 Fax: 260-489-6088  
 Email: office@hosetract.com  
 Mail: PO Box 80008, Fort Wayne, IN 46898  
 Shipping: 6433 Discount Dr., Fort Wayne, IN 46818

Made in the U.S.A.

**Industrial Price List**

**Effective 01/01/2017**

**US\$**

**UNITRACT SERIES - Spring Driven Hose Reels**

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure Only</b>					
UTL-300 (Reel Only)	1000 PSI	3/8 IN.	0 FT.	36 #	188.70
UTL-325	300	3/8	25	41	194.92
UTL-330	300	3/8	30	42	196.28
UTL-335	300	3/8	35	43	197.91
UTL-340	300	3/8	40	41	200.08
UTL-350	300	3/8	50	44	203.16
UTL-500 (Reel Only)	300	1/2	0	36	194.08
UTL-540	300	1/2	40	46	220.04
UTL-550	300	1/2	50	47	224.78
UTL-350NG	300	3/8	50	44	260.78

For Reel Accessories See Pages 8 & 9

**STANDARD B SERIES - Spring Driven Hose Reels**

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure</b>					
LB-200 (Reel Only)	1000 PSI	1/4 IN.	0 FT.	25 #	201.96
LB-225	300	1/4	25	26	204.32
LB-230	300	1/4	30	27	207.13
LB-235	300	1/4	35	28	209.96
LB-240	300	1/4	40	29	233.93
LB-250	300	1/4	50	30	244.80
LB-300 (Reel Only)	1000	3/8	0	25	209.10
LB-320	300	3/8	20	26	219.82
LB-325	300	3/8	25	27	224.06
LB-330	300	3/8	30	27	233.93
LB-335	300	3/8	35	28	239.70
LB-500 (Reel Only)	1000	1/2	0	25	228.29
<b>Medium Pressure</b>					
MB-300 (Reel Only)	4000 PSI	3/8 IN.	0 FT.	22 #	232.56
MB-320	3000	3/8	20	29	322.86
MB-325	3000	3/8	25	30	337.22
MB-330	3000	3/8	30	31	351.60
MB-335	3000	3/8	35	32	365.96
<b>High Pressure</b>					
HB-200 (Reel Only)	8000 PSI	1/4 IN.	0 FT.	25 #	267.75
HB-220	5000	1/4	20	29	367.06
HB-225	5000	1/4	25	30	384.45
HB-230	5000	1/4	30	31	401.86
HB-235	5000	1/4	35	32	419.25

For Reel Accessories See Pages 8 & 9

## STANDARD C SERIES - Spring Driven Hose Reels

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure</b>					
LC-300 (Reel Only)	1000 PSI	3/8 IN.	0 FT.	46 #	270.30
LC-340	300	3/8	40	49	314.23
LC-350	300	3/8	50	50	321.29
LC-370	300	3/8	70	54	362.10
LC-500 (Reel Only)	1000	1/2	0	46	290.28
LC-540	300	1/2	40	53	367.79
LC-550	300	1/2	50	57	380.46
<b>Medium Pressure</b>					
MC-300 (Reel Only)	4000 PSI	3/8 IN.	0 FT.	47 #	315.18
MC-340	3000	3/8	40	56	465.74
MC-350	3000	3/8	50	58	494.46
MC-500 (Reel Only)	4000	3/8	0	47	315.18
MC-530	3000	1/2	30	56	453.32
MC-540	3000	1/2	40	58	486.91
MC-550	3000	1/2	50	61	520.47
<b>High Pressure</b>					
HC-200 (Reel Only)	8000 PSI	1/4 IN.	0 FT.	46 #	392.70
HC-240	5000	1/4	40	56	565.29
HC-250	5000	1/4	50	59	600.10
HC-300 (Reel Only)	8000	3/8	0	46	392.70
HC-330	4000	3/8	30	56	541.94
HC-340	4000	3/8	40	58	578.17
HC-350	4000	3/8	50	62	614.41

For Reel Accessories See Pages 8 & 9

## STAINLESS 304 CS SERIES - Spring Driven Hose Reels

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure Only</b>					
LCS-300 (Reel Only)	1000 PSI	3/8 IN.	0 FT.	40 #	614.43
LCS-340	300	3/8	40	44	676.28
LCS-350	300	3/8	50	48	692.07
LCS-370	300	3/8	70	51	723.64
LCS-500 (Reel Only)	1000	1/2	0	40	614.43
LCS-540	300	1/2	40	50	697.33
LCS-550	300	1/2	50	56	718.39

All stainless CS Series Reels are shipped with a zinc trivalent plated swivel.

For Reel Accessories See Pages 8 & 9

### Hose Options for Stainless CS Series Reels:

- Standard Air/Water Application Hose
- Chemical Application Hose
- White Washdown Hose

## STANDARD D SERIES - Spring Driven Hose Reels

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure</b>					
LD-300 (Reel Only)	1000 PSI	3/8 IN.	0 FT.	68 #	601.80
LD-3100	300	3/8	100	99	749.70
LD-500 (Reel Only)	1000	1/2	0	68	601.80
LD-575	300	1/2	75	90	759.90
LD-590	300	1/2	90	95	775.20
LD-5100	300	1/2	100	99	785.40
LD-700 (Reel Only)	300	3/4	0	81	612.98
LD-750	300	3/4	50	95	739.79
LD-770	300	3/4	70	99	804.62
LD-1000 (Reel Only)	300	1	0	76	612.98
LD-1025	300	1	25	95	773.60
LD-1045	300	1	45	99	811.65
LD-1050	300	1	50	99	901.41
<b>Medium Pressure</b>					
MD-300 (Reel Only)	4000 PSI	3/8 IN.	0 FT.	75 #	673.20
MD-500 (Reel Only)	4000	1/2	0	75	673.20
MD-500 DUAL (Reel Only)	3000	1/2	0	75	780.30
MD-575	3000	1/2	75	95	962.43
MD-700 (Reel Only)	2000	3/4	0	75	734.40
MD-750	1500	3/4	50	100	1,059.54
<b>High Pressure</b>					
HD-300 (Reel Only)	5000 PSI	3/8 IN.	0 FT.	70 #	693.60
HD-375	4000	3/8	75	85	1,005.90

For Reel Accessories See Pages 8 & 9

## STAINLESS 304 DS SERIES - Spring Driven Hose Reels

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure Only</b>					
LDS-700 (Reel Only)	300 PSI	3/4 IN.	0 FT.	73 #	1,182.82
LDS-740	300	3/4	40	75	1,381.50
LDS-750	300	3/4	50	80	1,411.75
LDS-770	300	3/4	70	86	1,473.58
LDS-1000 (Reel Only)	300	1	0	73	1,182.82
LDS-1025	300	1	25	80	1,427.53
LDS-1045	300	1	45	90	1,484.12

All stainless DS Series Reels are shipped with a nickel plated swivel.

For Reel Accessories See Pages 8 & 9

### Hose Options for Stainless DS Series Reels:

- Standard Air/Water Application Hose
- Chemical Application Hose
- White Washdown Hose

## STANDARD G SERIES - Spring Driven Hose Reels

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure</b>					
LG-300 (Reel Only)	1000 PSI	3/8 IN.	0 FT.	75 #	571.20
LG-375	300	3/8	75	90	688.50
LG-3100	300	3/8	100	95	719.10
LG-500 (Reel Only)	1000	1/2	0	75	571.20
LG-550	300	1/2	50	85	663.00
LG-575	300	1/2	75	91	708.90
<b>Medium Pressure</b>					
MG-300 (Reel Only)	4000 PSI	3/8 IN.	0 FT.	75 #	601.80
MG-375	3000	3/8	75	100	852.88
MG-500 (Reel Only)	4000	1/2	0	75	601.80
MG-550	3000	1/2	50	85	807.09
MG-575	3000	1/2	75	104	891.03
<b>High Pressure</b>					
HG-200 (Reel Only)	8000 PSI	1/4 IN.	0 FT.	75 #	601.80
HG-2100	5000 PSI	1/4 IN.	100	90 #	983.24
HG-300 (Reel Only)	8000	3/8	0	75	601.80
HG-350	4000	3/8	50	85	887.77
HG-375	4000	3/8	75	100	914.10

## OXYGEN / ACETYLENE - C SERIES - Spring Driven Hose Reels

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure Only</b>					
COA-200 (Reel Only)	1000 PSI	1/4 IN.	0 FT.	46 #	389.18
COA-250	200	1/4	50 Twin	52	438.86

## OXYGEN / ACETYLENE - UNITRACT SERIES - Spring Driven Hose Reels

Model Number	Operating Pressure	Hose ID	Hose Length	Shipping Weight	List Price
<b>Low Pressure Only</b>					
UTL-200-OA (Reel Only)	1000 PSI	1/4 IN.	0 FT.	36 #	273.23
UTL-250-OA	200	1/4	50 Twin	47	322.34

## STATIC GROUNDING CABLE REELS - Spring Driven

Model Number	Cable Type	Cable Length	Shipping Weight	List Price
Static Grounding Cable Reel - Not for electrical current applications.				
SGB-00 (Reel Only)		0 FT.	25 #	256.93
SGB-50	3/16 vinyl coated cable	50	25	267.54
SGB-75	3/16 vinyl coated cable	75	25	277.09

## LOW PRO SERIES FOR 3/8" & 1/2" - Manual Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/8	1/2		
M 5-5 LOW PRO	4000 PSI	75 FT.	50 FT.	30 #	182.66
M 10-5 LOW PRO	4000	150	100	39	208.01
M 15-5 LOW PRO	4000	225	150	51	217.41
M 20-5 LOW PRO	4000	300	200	62	255.45
M 25-5 LOW PRO	4000	375	250	74	282.23

## STANDARD MINI SERIES FOR 3/8" & 1/2" - Manual Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/8	1/2		
M 5-5-14	4000 PSI	75 FT.	50 FT.	20 #	184.59
M 10-5-14	4000	150	100	23	204.32

All M Series Reel prices are less hose. For hose and fitting prices, consult the Factory.

For Reel Accessories See Pages 8 & 9

## SWIVEL BASE MINI SERIES FOR 1/4", 3/8" & 1/2" - Manual Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.			Shipping Weight	List Price
		1/4	3/8	1/2		
<b>Low Pressure, Nickel Swivel for 300 PSI Max.</b>						
SB5L-NS	300 PSI	100 FT.	75 FT.	50 FT.	48#	293.76
SB10L-NS	300	175	150	100	48#	298.86
<b>Low Pressure, Stainless Swivel for 300 PSI Max.</b>						
SB5L-SS	300 PSI	100 FT.	75 FT.	50 FT.	48#	311.10
SB10L-SS	300	175	150	100	48#	316.20
<b>High Pressure, Nickel Swivel for 4000 PSI Max.</b>						
SB5H- NS	4000 PSI	100 FT.	75 FT.	50 FT.	48#	300.90
SB10H-NS	4000	175	150	100	48#	307.02

**High Pressure, Stainless Swivel for 4000 PSI Max.**

SB5H- SS	4000 PSI	100 FT.	75 FT.	50 FT.	48#	314.16
SB10H-SS	4000	175	150	100	48#	320.28

Add suffix: PW Hot Pressure Wash Mount  
WM Wall Mount  
BM Bench Mount

All M Series Reel prices are less hose. For special mounting applications, hose and fitting prices, consult the Factory.

## STANDARD M SERIES FOR 3/8" & 1/2" - Manual Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/8	1/2		
M 5-5	4000 PSI	100 FT.	75 FT.	30 #	191.64
M 10-5	4000	250	175	39	217.01
M 15-5	4000	350	275	51	233.93
M 20-5	4000	450	375	62	271.95
M 25-5	4000	550	475	74	298.73

## STANDARD M SERIES FOR 3/4" & 1" - Manual Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/4	1		
M 10-10	300 PSI	75 FT.	50 FT.	40 #	260.69
M 15-10	300	100	75	51	286.06
M 20-10	300	125	100	62	326.91
M 25-10	300	150	125	74	353.71

All M Series Reel prices are less hose. For hose and fitting prices, consult the Factory.

For Reel Accessories See Pages 8 & 9

## STAINLESS 304 MINI SERIES FOR 3/8" & 1/2" - Manual Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/8	1/2		
MS 5-5-14	4000 PSI	75 FT.	50 FT.	20 #	282.88
MS 10-5-14	4000	150	100	23	309.18
MS 5-5	4000	100	75	31	441.43
MS 10-5	4000	250	175	39	491.28
MS 15-5	4000	350	275	51	501.62
MS 20-5	4000	450	375	62	532.01
MS 25-5	4000	550	475	74	554.10

All M Series Reel prices are less hose. For hose and fitting prices, consult the Factory.

For Reel Accessories See Pages 8 & 9

## STACK FRAME M SERIES - Manual Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/8	1/2		
SFM 10-5	4000 PSI	250 FT.	175 FT.	39 #	217.01
SFM 15-5	4000	350	275	51	233.93
SFM 20-5	4000	450	375	62	271.95
SFM 25-5	4000	550	475	74	298.73

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/4	1		
SFM 10-10	300 PSI	75 FT.	50 FT.	39 #	260.69
SFM 15-10	300	100	75	51	286.06
SFM 20-10	300	125	100	62	326.91
SFM 25-10	300	150	125	74	353.71

All M Series Reel prices are less hose. For hose and fitting prices, consult the Factory.

For Reel Accessories See Pages 8 & 9

## STANDARD E SERIES - 12V DC Motor Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/8	1/2		
E 15-5	4000 PSI	350 FT.	275 FT.	64 #	558.02
E 20-5	4000	450	375	68	612.98
E 25-5	4000	550	475	72	638.32

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/4	1		
E 15-10	300 PSI	100 FT.	75 FT.	66 #	584.80
E 20-10	300	125	100	70	641.16
E 25-10	300	150	125	74	667.93

All E Series Reel prices are less hose. For hose and fitting prices, consult the Factory.

Factory Prewire of Switch, Solenoid, and Motor add on \$60.00 to List Price - Part# 9996.

For Reel Accessories See Pages 8 & 9

## STACK FRAME E SERIES - 12V DC Motor Driven Hose Reels

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/8	1/2		
SFE 15-5	4000 PSI	350 FT.	275 FT.	64 #	558.02
SFE 20-5	4000	450	375	68	612.98
SFE 25-5	4000	550	475	72	638.32

Model Number	Operating Pressure	Potential Hose Capacity BY I.D.		Shipping Weight	List Price
		3/4	1		
SFE 15-10	300 PSI	100 FT.	75 FT.	66 #	584.80
SFE 20-10	300	125	100	70	641.16
SFE 25-10	300	150	125	74	667.93

All E Series Reel prices are less hose. For hose and fitting prices, consult the Factory.

Factory Prewire of Switch, Solenoid, and Motor add on \$60.00 to List Price - Part# 9996.

For Reel Accessories See Pages 8 & 9

## LIGHT CORD REELS - Spring Driven Cord Reels

Model Number	Description	Hose Length	Shipping Weight	List Price
ECL 40	Stubby II Reel	40 FT.	11 #	137.75
ECLT40	Stubby II Reel with Tool Tap	40	11	150.49

# ACCESSORIES

## HOSE STOPS

Part Number	Description	Shipping Weight	List Price
1232A	HOSE STOP ASSEM 1/2"ID	0.25 #	15.59
1233A	HOSE STOP ASSEM 3/8" ID	0.25	15.59
1234A	HOSE STOP ASSEM 1/4" ID	0.25	15.59
1235A	HOSE STOP ASSEM 3/4"	0.50	29.81
1236A	HOSE STOP ASSEM 1"	0.50	63.89
2227A	HOSE STOP SS ASSEM 1/2"ID	0.25	17.32
2228A	HOSE STOP SS ASSEM 3/8" ID	0.25	17.32
2229A	HOSE STOP SS ASSEM 1/4" ID	0.25	17.32
2230A	HOSE STOP SS ASSEM 3/4"	0.50	31.56
2231A	HOSE STOP SS ASSEM 1"	0.50	63.89

The hose stops listed above are attached to the hose for the purpose of controlling the length of hose to be stored on the reel. Reels shipped with hose are supplied with a hose stop.

## INLET HOSES

Part Number	Description	Shipping Weight	List Price
HA-L302	INLET HOSE 3/8 X 2 300PSI	2 #	22.52
HA-L502	INLET HOSE 1/2 X 2 300PSI	2	23.61
HA-L1002	INLET HOSE 1 X 2 300PSI	3	47.04
HA-M302	INLET HOSE 3/8 X 2 3000PSI	3	23.03
HA-M502	INLET HOSE 1/2 X 2 3000PSI	3	28.54
HA-H302	INLET HOSE 3/8 X 2 4000PSI	3	24.53

Inlet hoses are used between the reel and permanent plumbing, especially where vibration is present.

Inlets are 24" long. Inlets should be flexible, ridged plumbing will void warranty.

Replacement hose assembly processes are available from the Factory.

## SWIVELS

Part Number	Description	Shipping Weight	List Price
1498A	SWIVEL ASSEM 1/4" HP (B)	2 #	121.59
1245A	SWIVEL ASSEM W/ELBOW STEEL PLATED (C,D,G)	2	46.50
1738A	MED PRESS SWIVEL W/ELBOW- 1/2MXF (MC)	2	56.73
1165A	HIGH PRESS SWIVEL ASSEM (C,D,G)	2	103.70
1413A	SWIVEL ASSEM - OXY/ACT	1	80.48
1734	SWIVEL 1/2F X 1/2F MOSMATIC	2	50.98
1447	SUPER SWIVEL 1/2F X 1/2F STEEL/ZINC	2	63.81
11872	SUPER SWIVEL 1" - ZINC	3	108.39
23871	SUPER SWIVEL 1" - NICKEL	4	140.91

## MOUNTING ACCESSORIES

Part Number	Description	Shipping Weight	List Price
1839A	CEILING MOUNT BRACKET VER II D	6 #	47.51
1279A	I-BEAM BRKT ASSEM-REEL ONLY	5	22.60
1282A	SWIVEL BRACKET ASSEM B/C/UNITRACT	6	35.07



## GUIDE ROLLER SYSTEMS

Part Number	Description	Shipping Weight	List Price
1224A	GUIDE ROLLER ASSEM FLUTED ROLLERS	0.50 #	26.53
5023A	GUIDE ROLLER ASSEM SMOOTH ROLLERS	0.50	28.72
1347A	GUIDE SYSTEM 10"	8	68.43
1344A	GUIDE SYSTEM 15"	9	70.59
1345A	GUIDE SYSTEM 20"	9	72.88
1346A	GUIDE SYSTEM 25"	10	75.19

## GUIDE ROLLER SYSTEMS - STACK FRAMES

Part Number	Description	Shipping Weight	List Price
1613A	SF ROLLER KIT 10-3	5 #	56.39
1614A	SF ROLLER KIT 15-3	6	56.39
1615A	SF ROLLER KIT 20-3	7	56.39
1616A	SF ROLLER KIT 25-3	8	56.39
1618A	SF ROLLER KIT 10-4	6	78.94
1619A	SF ROLLER KIT 15-4	7	78.94
1620A	SF ROLLER KIT 20-4	8	78.94
1621A	SF ROLLER KIT 25-4	9	78.94

## E SERIES REPLACEMENT PARTS

Part Number	Description	Shipping Weight	List Price
1264	12V DC MOTOR	14 #	361.76
1198	SOLENOID	0.50	64.95
1197	MOMENTARY SWITCH	0.50	16.14

**Terms:** US currency, net 30 days. 1.5% service charge on overdue accounts.

**Freight:** F.O.B. factory

**Returns:** All returns must be prequalified with an RGA number obtained from the factory. The product then can be returned freight paid to the factory for either warranty consideration, if that's the case, or restocking at a 15% charge.

**Warranty:** Hosetract hose reels are warranted to the original user against defects in materials and workmanship under normal use and proper installation, for one year after date of purchase. Any part, except hose, shipped prepaid, to an authorized service outlet or the factory, which is determined to be defective in material or workmanship, will be repaired or replaced. Components not manufactured by Hosetract such as hose and optional swivel choices are excluded from Hosetract's warranty.

**All prices are subject to change. Please call for a current quote. This price list supercedes all others.**

